Colloids and Surfaces, 58 (1991) 430–432
Elsevier Science Publishers B.V., Amsterdam

Contents

(Abstracted/indexed in: Chemical Abstracts; Current Contents: Physical, Chemical & Earth Sciences; INSPEC; PASCAL/CNRS)

VOLUME 58 (1991)

Helical aggregation of chiral amphoteric surfactants containing hydroxyl groups
H. Hidaka (Tokyo, Japan) 1
Sorption isotherms of mono- and divalent phosphate on hydrous Al oxides
A.K. Helmy, S.G. de Bussetti and E.A. Ferreiro (Bahía Blanca, Argentina) 9
Conformations of α–ω diols and n-alcohols grafted on silica studied by solid state ^{13}C NMR
A. Tuel, H. Hommel and A.P. Legrand (Paris, France), H. Balard, M. Sidqi and E. Papirer (Mulhouse, France) 17
Investigations of adsorption behaviour of polybutadiene epoxide on solid surfaces
G. Seifert, P. Hortschansky, B. Heublein and G. Heublein (Jena, Germany) 33
Characterization of fillers and fibres by wetting and electrokinetic measurements
K. Grundke, M. Boerner and H.-J. Jacobasch (Dresden, Germany) 47
Structural and stability analysis of monolayers of some bile acids at the air–aqueous solution interface
M.J. Gálvez-Ruiz and M.A. Cabrerizo-Vílchez (Granada, Spain) 61
Electrorheological properties of barium titanate suspensions under oscillatory shear
Y. Otsubo (Chiba-shi, Japan) 73
Solubilization of alcohols in single and mixed surfactant aqueous solutions containing fluorocarbon surfactant
K. Yoda, K. Tamori, K. Esumi and K. Meguro (Tokyo, Japan) 87
Adsorption of poly(acrylic acid) on titania (anatase) and zirconia colloids
R.R. Vedula and H.G. Spencer (Clemson, SC, U.S.A.) 99
Wetting studies on silicate minerals and rocks used in bituminous highways
H. Ardebrant and R.J. Pugh (Stockholm, Sweden) 111
Dynamics of liquid–liquid phase inversion using non-ionic surfactants
B.W. Brooks and H.N. Richmond (Loughborough, U.K.) 131
Interactions between sulfide minerals and alkylxanthate ions. 2. A vibration spectroscopic and atomic absorption spectrophotometric study of the interactions between sphalerite and copper-activated sphalerite, and ethyl- and n-decylxanthate ions in aqueous and acetone solutions
P. Persson and I. Persson (Uppsala, Sweden) 149
Interactions between sulfide minerals and alkylxanthate ions. 3. A vibration spectroscopic, calorimetric and atomic absorption spectrophotometric study of the interaction between galena and ethylxanthate ions in aqueous solution
P. Persson and I. Persson (Uppsala, Sweden) 161
A study of some electrical properties of $H_3OUO_2PO_4 \cdot 3H_2O$–cellophane supported membranes
J. Benavente, S. Bruque and M. Martinez (Malaga, Spain) 183
Flocculation of emulsions by free surfactant in purified systems
M.P. Aronson (Edgewater, NJ, U.S.A.) 195

Brief Notes

Comment on "The diffusion of benzene in high silica zeolite ZSM-5 studied by PFGNMR and QUENS"
J. Kärger (Leipzig, Germany) and H. Jobic (Villeurbanne, France) 203
Reply to comment by J. Kärger and H. Jobic on "The diffusion of benzene in high silica zeolite ZSM-5 studied by PFGNMR and QUENS"
T. Cosgrove, M. Morgan and R.M. Richardson (Bristol, U.K.) 207
The effect of cationic electrolytes on the electrostatic interaction force for cellular adhesion to solid surface
Y.-I. Chang (Taichung, Taiwan) 211

Special Issue: Contact Angles and Wetting Phenomena. A collection of papers presented at an International Symposium on Contact Angles and Wetting Phenomena, Toronto, Canada, 21-23 June 1990.

Measurement of contact angles from the maximum diameter of non-wetting drops by means of a modified axisymmetric drop shape analysis
E. Moy, P. Cheng, Z. Policova, S. Treppo, D. Kwok, D.R. Mack, P.M. Sherman and A.W. Neumann (Toronto, Ont., Canada) 215
Interfacial free energy changes occurring during BSA adsorption in solution droplets on FEP-Teflon surfaces as measured by ADSA-P
H.J. Busscher, W. van der Vegt, J. Noordmans, J.M. Schakenraad and H.C. van der Mei (Groningen, The Netherlands) 229
The influence of droplet volume and contact angle on liquid surface tension measurements by axisymmetric drop shape analysis-profile (ADSA-P)
J. Noordmans and H.J. Busscher (Groningen, The Netherlands) 239
Liquid sorption and wetting on hydrophilic/hydrophobic layer silicates
I. Dékány (Szeged, Hungary) and L.G. Nagy (Budapest, Hungary) 251
Static and dynamic wetting behaviour of poly(ethylene oxide) layer formed on mica substrate
É. Kiss (Budapest, Hungary) and C-G. Gölander (Stockholm, Sweden) 263
Wettability studies on drugs and drug delivery vesicles
E.I. Vargha-Butler and S.J. Sveinsson (Halifax, N.S., Canada) and Z. Policova (Toronto, Ont., Canada) 271
Droplet spreading in presence of contamination
P. Carles, A.M. Cazabat and F. Heslot (Paris, France) 287
The wettability of mineral surfaces containing adsorbed asphaltenes
G. González and M.B.C. Moreira (Rio de Janeiro, Brazil) 293
Droplet deposition effects on light transmission by an optical fibre
B.J. Carroll (Merseyside, U.K.) 303
Axisymmetric drop shape analysis (ADSA) applied to protein solutions
A. Voigt, O. Thiel, D. Williams, Z. Policova, W. Zingg and A.W. Neumann (Toronto, Ont., Canada) 315

Special Issue: A Collection of Invited Papers in Honour of Professor K.S.W. Sing on the Occasion of his Retirement, 30 September 1990.

Preface iii
Modification of the pore structure of sol-gel-derived ceramic oxide powders by water-soluble additives
K. Kunze and D. Segal (Harwell, U.K.) 327

The preparation and properties of some fluorinated activated carbons
C.R. Hall and R.J. Holmes (Salisbury, U.K.) 339
Changes in the surface properties of calcium hydroxide upon ageing. A spectroscopic and gas sorption study
C.R. Theocharis and D. Yeates (Uxbridge, U.K.) 353
Mechanism of cation uptake by zirconia gels
J. Ragai, S. Tobia and M. El-Saidi (Cairo, Egypt) 363
Microporisity in rayon-based carbonized and activated carbon fibres
J.N. Bohra and R.K. Saxena (New Delhi, India) 375
Physical adsorption of gases by microporous carbons
P.J.M. Carrott and M.M.L. Ribeiro Carrott (Lisbon, Portugal) and R.A. Roberts (Banbury, U.K.) 385
Hysteresis in nitrogen adsorption isotherms on copper phthalocyanine pigments
R.R. Mather (Galashiels, U.K.) 401
Monolayer properties and spontaneous Z-type Langmuir–Blodgett multilayers of 2-(heneicosa-2,4-diynoxycarbonyl) benzoic acid
D.J. Scoberg, D.N. Furlong and C.J. Drummond (Clayton, Vic., Australia), F. Grieser (Parkville, Vic., Australia), J. Davy and R.H. Prager (Bedford Park, S.A., Australia) 409

Author Index 427
Subject Index 428
Contents (Vol. 58) 430